

TECHNICAL DATA SHEET

C6351/12

Ultra High Resolution Day & Night Camera



C6351/12

KEY FEATURES

- 1/3" Sony Super HAD CCD
- Ultra High Resolution Day & Night, 600 TVL
- Digital Noise Reduction (DNR)
- Maximum 512x Sens-Up
- On Screen Display (O.S.D.)
- Digital Image Stabilisation (DIS)
- Selectable White Balance
- Selectable Gain Control
- Privacy Masking
- Motion Detection
- Mirror Function
- DC12V

ORDERING INFORMATION

C6351/12 Ultra High Resolution
Day/Night Camera, DC12V

TECHNICAL DATA SHEET

TECHNICAL SPECIFICATION

Model Number	C6351/12
Image Sensor	Sony 1/3" Super HAD Colour CCD
Horizontal Resolution	600 TVL
Minimum Illumination	0.15 Lux (40 IRE)
Scanning System	2:1 Interlace
Effective Pixels (H x V)	752 x 582
Video Format	PAL
Synchronisation	INT
Frequency	Horizontal: 15.625 KHz, Vertical; 50.00Hz
Shutter Speed	1/60, 1/50 ~ 1/120,000 sec
Video Output	1.0Vp-p / 75Ω
IR Cut Filter	NO
Gain Control	LOW / HIGH / OFF
White Balance	ATW / AWC / INDOOR / OUTDOOR / MANUAL / (1,700°K~11000°K)
S/N Ratio	>52dB (AGC Off, Weight ON)
Sens-Up	AUTO / OFF (Selectable x2 ~ x512)
O.S.D.	Yes, Built-In
Motion Detection	ON / OFF (8 Zone, ALARM Output)
DNR	ON / OFF (1~32 Level)
Mirror / Flip	ON / OFF
Privacy Function	ON / OFF (12 Zones)
Day / Night	COLOUR / B&W / AUTO / EXTERN
DIS	ON / OFF
Digital Zoom	ON / OFF (x16)
Sharpness	ON / OFF (Level Adjustable)
Pixel Compensation	256 Point (Even 128 Point, Odd 128 Point)
Iris Control	DC / VIDEO
Lens Mount	CS Mount, (C Mount Is Mountable By Using Adaptor)
Power Consumption	160mA
Power Supply	DC12V
Operating Conditions	Temperature: -10°C ~ +50°C, Humidity: 30% ~ 80% RH
Storage Conditions	Temperature: -20°C to 60°C / 20% to 90% RH
Dimensions (W x H x D)	69 x 69 x 60 mm
Weight	150g

Features and specifications are subject to change for further improvement without any notice