

Eaton HUD-2B-FXD

Catalog Number: HUD-2B-FXD

fixed radio hold-up device providing the ability to raise an unconfirmed HUA or confirmed HUA

General specifications

Product Name	Catalog Number
Eaton hold up device (HUD) / panic alarm button	HUD-2B-FXD
	EAN
	5060096857143
Product Length/Depth	Product Height
42 mm	85 mm
Product Width	Product Weight
85 mm	0.148 kg
Compliances	
CE marking	

Product specifications

Operating humidity - max

95 %

Transmission power

10

Compliance

EN50131 grade 2

Operating temperature - min

-10 °C

Flush-mounted radio transmitter

No

Current

Battery

Rolling code system

No

Mounting Method

Wall-mount

Devices per channel

N/A

Internal aerial

Yes

Typical battery life

48 monthly

Radio frequency

868.6625 Mega Hertz

Battery quantity

2

Battery type

1.5V AA alkaline

Modulation

FM

Operating temperature - max

55 °C

Programming display

No

Replacement battery code

Resources

Brochures

[eaton-security-scantronic-catalogue-2021-en-gb.pdf](#)

Catalogues

[Residential and commercial security systems catalogue](#)

[Hold up device \(710\) - Declaration of conformity](#)

[Scantronic radio devices battery list](#)

[Hold up device \(726\) - Declaration of conformity](#)

[Hold up device \(706\) - Declaration of conformity](#)

[eaton-security-705-706-710-726-hold-up-devices-catalogue-page.pdf](#)

[Hold up device \(705\) - Declaration of conformity](#)

Technical data sheets

[eaton-security-hud-2b-fxd-data-sheet-en-gb.pdf](#)

1.5V AA Alkaline

Enclosure Colour

Grey

Code length (bit)

16

Radio coding device

No

Device type

Hold-up device

Alarm outputs

Not applicable

Enclosure material

Plastic

Surface mounted radio transmitter

No

Free space radio range

250 m

Number of commands

1

Keyboard protection cover

No

Manual radio transmitter

Yes

LED indicator

1