



GIP2CMIR

2MP IP Corner Mount Camera

The GIP2CMIR is a corner mount IR camera with 30 x covert 940nm IR LED's, invisible to the naked eye. It is vandal resistant, has a 2MP resolution and is able to see up to 10m in IR distance in ideal conditions.




GIP2CMIR

Key Features

- 1/2.8" Sony Starvis Image Sensor
- Maximum 30fps / Full HD (1920 x 1080) Resolution
- ONVIF Profile S Compliant
- Vandal Resistant
- Triple Codec (H.264, MPEG 4, MJPEG)
- 30 Covert IR LED's
- 2.9mm Megapixel Lens
- D-WDR (Digital Wide Dynamic Range)
- 3D DNR (Digital Noise Reduction)
- DC12V
- 10m IR Distance in Ideal Conditions
- Supports PoE

Dimensions (mm)





Specification

Model Number	GIP2CMIR
Image Sensor	1/2.8" 2MP Sony Starvis Image Sensor
Lens	2.9mm Megapixel Fixed Lens
Scanning System	Progressive
Total Pixels	2000 (H) x 1121 (V), 2.24 MP
Effective Pixels	1984 (H) x 1105 (V), 2.19 MP
Day & Night	Auto / Day (Colour) / Night (B&W), ICR Control
Privacy Area	On / Off (6 Programmable Zones)
Motion Detection	48 Zone, Sensitivity 1 ~ 5 Step, On / Off
LPR	Auto, 1/15 ~ 1/9000, On / Off
WDR	DWDR (1 ~5 Step) On / Off
3DNR	Digital Noise Reduction, 1 ~ 63 Step
Electronic Shutter	Auto (1/15~1/15000), Suppress Rolling, Manual
Colour Adjust	Bright / Contrast / Saturation / Sharp / Hue
White Balance	Auto / Indoor / Outdoor / Fluorescent
OSD Display	Text, Data, Time, Event, On / Off
Image Mirror	Normal / Mirror (H) / Flip (V) / Both (HV)
Video Output	CVBS 1.0Vp-p
Power Supply	DC12V \pm 10% (Supports PoE)
Operating Temperature	0°C ~ +50°C
Preservation Temperature	-10°C ~ +60°C
Humidity	0% to 90%
Dimensions	190 (W) x 140 (L) x 42.3 (H) mm
Unit Weight	390g

Genie Access reserves the right to change specifications without notice. Please contact your representative to confirm current specifications.