

## Ganz Lite LED Monitor



- LED Monitor 15.6"
- 1920 x 1080
- Metal Housing
- Built-In Speakers
- 16:9 Aspect Ratio
- VESA 100x100
- HDMI, VGA, BNC in/out, Audio

### Order data

Order number	Product description
LME16E	LED Monitor 15.6", 1920x1080, 16:9, HDMI / VGA / BNC in & out / Audio, 3.3kg

# Ganz Lite LED Monitor



Technical specifications	LME16E
Panel Type	15.6" (16:9) LED Monitor
Case Type	Metal
Maximum Resolution	1920 (H) x 1080 (V)
MTBF	40,000 hrs
Active Display Area	344.16 (H) × 193.59 (V) mm
Pixel Pitch	179.25 (H) x 179.25 (V) mm
Bezel Thickness	T: 15.4mm L/R: 19.7mm, B: 38.1mm
Contrast Ratio	800 : 1
Brightness	250 cd / m2
Response Time	10+15m.sec (G to G)
Viewing Angle	85 / 85 U / D 85 / 85°
Display Colours	16.7 M
PC Compatibility	Yes
Aspect Ratio	16:9
VGA Auto Frequency Correction	Yes
Speakers	2
Mute	Yes
Work Humidity	0% - 80%
Work Temperature	0 - +50 °C
Volume +/- Power On/Off	Yes
Video Interface	VGA, HDMI, 1 x BNC in, 1 x BNC out, Audio
Audio	3.5mm
Termination	75 ohm
Certification	FCC ,CE, ROHS-2
VESA	100 x 100
Stand Type	Picture Frame
Colour	Black
Button Position	Front
Packing Dimensions	410mm x 410mm x 150mm
Nett Weight	3.3 Kgs
Gross Weight	4.0 Kgs
Power Supply	12v 2 Amp
Power Consumption	15 Watt
Power Interface	DC 2.1mm

# Ganz Lite LED Monitor

